INDEX TO AUTHORS

A

Abbott, Lynn DeForrest, Jr. See GAEBLER and ABBOTT, xxxvi

Abbott, W. O. See KARR, AUSTIN, ABBOTT, and HOFFMAN, lv

Abels, Julius C. A simple method for the determination of acetone in blood and urine, 663

Adams, Elliott T. On the equilibrium between oxygen and respiratory pigments, iii

Anderson, R. J. See CASON and ANDERSON, 549

—. See REEVES and ANDERSON, 535, 543

Andes, Jerome E. The determination of blood creatine with 3,5-dinitrobenzoic acid as a color reagent, iv

Andrews, James C. The solubility of amino acids in concentrated sulfuric acid, v

—. See RUTENBER and ANDREWS, lxxxvi

Armstrong, W. D. Fluorine content of enamel and dentin of sound and carious teeth, v

Austin, J. Harold. See KARR, AUSTIN, ABBOTT, and HOFFMAN, lv

B

Bale, William F. See HODGE, BALE, and LEFEVRE, xlix

Barron, E. S. Guzman. The oxidation-reduction potentials of *Spirographis* hemin and some of its hemochromogen, vi

Bashour, Joseph T. See CORTESE and BASHOUR, 177

Bates, Robert W. A rapid method for quantitative determination of tryptophane, vii

Baumann, Emil J., and Sprinson, David B. The dietary production of parathyroid hypertrophy in rabbits, vii

—, —, and **Metzger, Nannette.** A polyhydroxy acid from the sweet pepper; a correction, viii

Beach, Eliot F., and White, Abraham. Methionine as the limiting nutritive factor of arachin, viii

Beard, Howard H., Boggess, Thomas S., and Pizzolato, Philip. Further observations of the effect of parenteral injection of amino acids and related substances upon creatine formation and storage in the rat, ix

Bennett, Mary A. The replaceability of cystine with some partially oxidized derivatives, x

Bergen, Dorothy S. See WILEY, BERGEN, and BLOOD, cv

Bergmann, Max, and Fraenkel-Conrat, Heinz. The rôle of

specificity in the enzymatic synthesis of proteins. Syntheses with intracellular enzymes, 707

Bergmann, Max, Fruton, Joseph S., and Fraenkel-Conrat, Heinz. On proteolytic enzymes. XV. Regarding the general nature of intracellular proteolytic enzymes, 35

Bergmann, Werner. See SPERRY and BERGMANN, 171

Berliner, Frieda. Hemolytic and antihemolytic properties of bile acids and sterols, xi

Bernheim, Frederick, and Webster, M. Dorothy. Choline oxidase, xi

Bessey, Otto A. See MUUS, BESSEY, and HASTINGS, lxxii

Bird, O. D. See EMMETT and BIRD, xxxi

Block, Richard J. The amino acid composition of neuroproteins and the protein of the neurofibrils, xi

—. Chemical studies on the neuroproteins. I. The amino acid composition of various mammalian brain proteins, 765

—, **Brand, Erwin, and Cahill, George F.** The metabolism of *dl*-γ-methiol-α-hydroxybutyric acid in cystinuria, xii

—. See BRAND, BLOCK, and CAHILL, xiv, 681, 689

—. See BRAND, BLOCK, KASSELL, and CAHILL, 669

Blood, Frank R. See WILEY, BERGEN, and BLOOD, cv

Bloor, W. R. Effect of activity on the phospholipid and cholesterol content of muscle, 451

Blunden, Harry. See BUTTS, BLUNDEN, and DUNN, 247

—. See BUTTS, DUNN, and BLUNDEN, xv

—. See DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN, 617

Bodansky, Meyer, Duff, Virginia B., and Herrmann, Cornelius L. Excretion of ingested guanidoacetic acid, xiii

Boggess, Thomas S. See BEARD, BOGGESS, and PIZZOLATO, ix

Bollman, Jesse L. See FLOCK, BOLLMAN, HESTER, and MANN, xxxiii

Booher, Lela E. The concentration and properties of vitamin H, 223

Borgen, D. R., and Elvehjem, C. A. Factors affecting the determination of inorganic iron in animal tissue, 725

Brand, Erwin, Block, Richard J., and Cahill, George F. Cystinuria. VI. The metabolism of the hydroxy analogue of methionine (*dl*-α-hydroxy-γ-methiobutyric acid), 681

—, —, and —. VII. The metabolism of S-methylcysteine, of γ-thiobutyric acid, and of γ,γ′-dithiodibutyric acid, 689

—, —, and —. Some observations on the source of urinary cystine in cystinuria, xiv

—, —, **Kassell, Beatrice, and Cahill, George F.** Cystinuria.

V. The metabolism of casein and lactalbumin, 669

Brand, Erwin. See Block, Brand, and Cahill, xii

Bratton, A. C. See McClendon, Bratton, and White, lxvii

Briggs, A. P. Excretion of fixed base during the alkalosis of overventilation, xv

Browman, Audra A., and Hastings, A. Baird. Solubility of aragonite in salt solutions, 241

Bunker, John W. M. See Harris and Bunker, xlv

Burke, J. C. See McIntyre and Burke, lxviii

Butler, Gordon Cecil, and Marrian, Guy Frederic. The isolation of pregnane-3,17,20-triol from the urine of women showing the adreno-genital syndrome, 565

—. See Marrian and Butler, lxvi

Butts, Joseph S., Blunden, Harry, and Dunn, Max S. Studies in amino acid metabolism. II. Fate of *d*-glutamic, *dl*-glutamic, *dl*-pyroglutamic, *l*-aspartic, and *dl*-aspartic acids in the normal animal, 247

—, **Dunn, Max S., and Blunden, Harry.** The metabolism of *d*- and *dl*-glutamic acids, *l*- and *dl*-aspartic acids, *dl*-pyroglutamic acid, xv

—. See Deuel, Butts, Hallman, Murray, and Blunden, 617

Butz, Lewis W., and Hall, S. R. Male hormone in the urine of bulls and rams, xvi

C

Cahill, George F. See Block, Brand, and Cahill, xii

—. See Brand, Block, and Cahill, xiv, 681, 689

—. See Brand, Block, Kassell, and Cahill, 669

Campbell, Dan H. The separation of glycogen into two fractions, xvii

Campbell, Walter R., and Hanna, Marion I. The albumin, globulins, and fibrinogen of serum and plasma, 15

— and —. The determination of nitrogen by modified Kjeldahl methods, 1

— and —. Sulfites as protein precipitants, 9

Cannan, R. Keith. See Wilson and Cannan, 309

Carter, Herbert E. See West and Carter, 103, 109

Cartland, George F., and Nelson, John W. The preparation and purification of extracts containing the gonad-stimulating hormone of pregnant mare serum, 59

Cary, C. A. See Shinn, Kane, Wiseman, and Cary, lxxxix

Cason, James, and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. L. Occurrence of phthiocerol in the wax of the bovine tubercle bacillus, 549

Catherwood, Ruth, and Stearns, Genevieve. Creatine and creatinine excretion in infancy, 201

Cavett, J. W. The use of nem-

butal in the determination of the basal metabolic rate of dogs, xvii

Chaikoff, I. L., and **Kaplan, A.** The distribution of fat in the livers of depancreatized dogs maintained with insulin, 423

—. See KAPLAN and CHAIKOFF, 435

Chamelin, I. M. See HARROW, MAZUR, CHAMELIN, and LESUK, xlvi

Chanutin, Alfred, and **Ludewig, Stephan.** Blood plasma proteins in partially nephrectomized rats, xviii

Chornock, Francis. See GUERRANT, CHORNOCK, and DUTCHER, xlii

Church, Charles F. See WHIPPLE and CHURCH, ciii

Clark, R. H. See PYLE, FISHER, and CLARK, 283

Clausen, S. W., and **McCoord, A. B.** The utilization of carotene by the human fetus, xviii

Clinton, Marshall, Jr., and **Hubbard, Roger S.** Factors influencing the destruction of glucose and fructose by oxygen, 467

Clowes, G. H. A. See KRAHL and CLOWES, lx

Cohen, Philip P. Studies in ketogenesis, 333

Colowick, S. P. See CORI, CORI, and COLOWICK, xix

Consolazio, W. V. See DILL, TALBOTT, and CONSOLAZIO, xxiii

Cori, Carl F., Cori, Gerty T., and **Colowick, S. P.** The isolation and synthesis of glucose-1-phosphoric acid, xix

Cori, Gerty T. See CORI, CORI, and COLOWICK, xix

Corley, Ralph C., and **Snyder, Fred H.** Catabolism of amino acids with branched chains, xx

Cortese, Frank, and **Bashour, Joseph T.** A synthesis of conjugated bile acids. III. Sodium taurocholate and sodium taurodesoxycholate, 177

Cowgill, George R. See HORWITT and COWGILL, li, 553

Cox, Warren M., Jr. See MUELLER and COX, lxxii

Craig, Lyman C. See JACOBS and CRAIG, 141

Culbert, Robert W., McCune, D. J., and **Weech, A. A.** Rate of evaporation in serum as a measure of vapor pressure, osmotic pressure, and concentration of solutes, 589

Curtis, Jack M., Miller, Lloyd C., and **Witt, Ewald.** Decreased sensitivity to theelol of castrate female rats, xxi

D

Darby, William J. See DAY and DARBY, xxii

Day, Paul L., and **Darby, William J.** The influence of different casein preparations in flavin-deficient diets upon the appearance of cataract, xxii

Deuel, Harry J., Jr., Butts, Joseph S., Hallman, Lois F., Murray, Sheila, and **Blunden, Harry.** The sexual variation

in carbohydrate metabolism. IX. The effect of age on the sex difference in the content of liver glycogen, 617

Deuel, Harry J., Jr., Hallman, Lois F., and **Murray, Sheila.** The relation of ketonuria to liver fat, xxii

—, —, and —. Studies on ketosis. XI. The relation of fatty livers to fasting ketonuria in the rat, 257

—, —, —, and **Samuels, Leo T.** The sexual variation in carbohydrate metabolism. VIII. The rate of absorption of glucose and of glycogen formation in normal and adrenalectomized rats, 607

Dill, D. B., Talbott, John H., and **Consolazio, W. V.** The physicochemical properties of human blood at high altitudes, xxiii

Domanski, Thaddeus John. Isolation of vinyl ether (divinyl oxide) from human tissues, 69

Dorfman, R. I. The comparative activity of various estrogens on the infantile rat uterus and vagina, xxiv

—. The excretion and metabolism of theelin in the sexually immature rat, xxv

— and **Greulich, William Walter.** The response of the chick comb to sex hormones, xxv

Doster-Virtue, Mildred E. See Virtue and Doster-Virtue, ci, 697

Dounce, Alexander L. See Sumner and Dounce, xcvii

Drabkin, David L. A new graphic-mathematical analysis of absorption spectra, as applied to hemoglobin derivatives, xxvi

Duff, Virginia B. See Bodansky, Duff, and Herrmann, xiii

Duncan, D. R. L., Gallagher, T. F., and **Koch, F. C.** The nature of the estrus-inhibiting substances in testis tissue concentrates, xxviii

Duncan, Marion T. See Russell, Taylor, and Duncan, lxxxv

Dunn, Max S., Ross, Frank J., and **Stoddard, M. Palmer.** The solubility of certain amino acids in water-ethyl alcohol mixtures, xxviii

—. See Butts, Blunden, and Dunn, 247

—. See Butts, Dunn, and Blunden, xv

Dutcher, R. Adams. See Guerrant, Chornock, and Dutcher, xlii

Dyer, Helen M. The metabolic behavior of djenkolic and homodjenkolic acids, xxviii

—. See du Vigneaud, Dyer, and Jones, 47

E

Eck, John C., and **Thomas, Byron H.** The chemical activation of sterols. III. The chemical activation of cholesterol, 621

— and —. IV. The chemical activation of cholesterol and cholesterilene by various reagents, 631

Edwards, Beatrice G. The bro-

mometric determination of phenols and related substances, xxix

Edwards, H. T. See JOHNSON and EDWARDS, liv

Eichelberger, Lillian. The exchange of salt and water between muscle and blood in experimental chronic hydronephrosis, xxx

Ellis, G. H. See MAYNARD, HODSON, ELLIS, and MCCAY, lxvi

Elvehjem, C. A. See BORGEN and ELVEHJEM, 725

—. See FROST and ELVEHJEM, xxxiv

—. See PEARSON, ELVEHJEM, and HART, 749

Emmett, A. D., and Bird, O. D. Comparative biological value of vitamin A as an alcohol and ester, xxxi

Evans, E. A., Jr., and Rittenberg, D. Alcohol formation in yeast grown in heavy water, xxxi

Eveleth, Donald F. Comparison of the distribution of magnesium in blood cells and plasma of animals, 289

Evelyn, Kenneth A. See MALLOY and EVELYN, 481

Everett, Mark R., and Sheppard, Fay. A new classification of carbohydrates, xxxii

—. See SHEPPARD and EVERETT, lxxxix

Evers, Ray. See MASON and EVERS, 735

Exton, William G. See ROSE, SCHATTNER, and EXTON, lxxxiv

F

Fabian, A. Appelsis. See LEVINE, SACHS, and FABIAN, lxiii

Fisher, A. M., and Scott, D. A. The prolongation of insulin action, xxxiii

Fisher, John H. See PYLE, FISHER, and CLARK, 283

Fletcher, Jean P., and Waters, E. T. The influence of fructose on the glucose tolerance curve of normal and depancreatized animals, xxxiii

Flock, Eunice, Bollman, Jesse L., Hester, H. R., and Mann, Frank C. Fatty livers in geese, produced by overfeeding, xxxiii

Fouts, Paul J., Lepkovsky, Samuel, Helmer, O. M., and Jukes, Thomas H. Effect of deficiencies of rat and chick antidermatitis factors on puppies on a synthetic diet, xxxiv

Fraenkel-Conrat, Heinz. See BERGMANN and FRAENKEL-CONRAT, 707

—. See BERGMANN, FRUTON, and FRAENKEL-CONRAT, 35

Francis, C. C. See HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS, lii

Froeschle, Paul F. See PIERCE, HAEGE, and FROESCHLE, lxxviii

Frost, D. V., and Elvehjem, C. A. Further studies on factor W, xxxiv

Fruton, Joseph S. See BERGMANN, FRUTON, and FRAENKEL-CONRAT, 35

Funk, Casimir, and Funk, Ian Casimir. The value of pyridine derivatives in nutrition, xxxv

Funk, Ian Casimir. See FUNK and FUNK, xxxv

G

Gaebler, Oliver Henry, and Abbott, Lynn DeForrest, Jr. The picrate precipitate of serum ultrafiltrates, xxxvi

Gallagher, T. F. See DUNCAN, GALLAGHER, and KOCH, xxvii

—. See PETERSON, GALLAGHER, and KOCH, 185, lxxvii

Gallup, Willis D., and Norris, L. C. Studies of the perosis-preventing properties of manganese, xxxvi

Ghantus, Musa. See KERR, HAMPEL, and GHANTUS, 405

Gildea, Edwin F. See MAN and GILDEA, 769

Gordon, William G. The availability of α-N-monomethyllysine and α-N-dimethyllysine for growth, xxxvii

Gortner, Ross Aiken. See HESSLER and GORTNER, 193

Goss, Harold, and Kleiber, Max. Basal metabolism of rats on a phosphorus-deficient diet, xxxviii

Green, Arda Alden. The euglobulins of serum and their combination with acid and base, xxxix

Greenberg, David M., and Larson, Clarence E. Mathematical relations in the partition of the serum calcium, xxxix

— **and Tufts, Elma V.** Biochemistry of magnesium deficiency, xl

Greenstein, Jesse P. The synthesis of crystalline *l*-cysteinyl-*l*-cysteine hydrochloride, xli

Greulich, William Walter. See DORFMAN and GREULICH, xxv

Guerrant, N. B., Chornock, Francis, and Dutcher, R. Adams. Studies concerning the production and cure of florid dermatitis (acrodynia) in the rat, xlii

Gustavson, R. G., Hays, Edwin E., and Wood, Thomas R. The quantitative determination of estrogenic substances in normal female urine during the menstrual cycle, xlii

György, Paul. Attempts to isolate the anti-egg injury factor (vitamin H), xliii

H

Haege, Lorraine. See PIERCE, HAEGE, and FROESCHLE, lxxviii

Haley, Frank L., and Samuelsen, George S. Cystine metabolism. II. Detoxication of monobromobenzene, 383

Hall, S. R. See BUTZ and HALL, xvi

Hallman, Lois F. See DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN, 617

—. See DEUEL, HALLMAN, and MURRAY, 257, xxii

—. See DEUEL, HALLMAN, MURRAY, and SAMUELS, 607

Hammett, Frederick S. *d*-Lysine and growth, xliv

Hampel, C. W. See KERR, HAMPEL, and GHANTUS, 405
Hanna, Marion I. See CAMPBELL and HANNA, 1, 9, 15
Harger, R. N., Hulpieu, H. R., and Lamb, E. B. The speed with which various parts of the body reach equilibrium in the storage of alcohol, xliv
Harrer, Carter J. See STOTZ, HARRER, and KING, xcv, 511
Harris, Robert S., and Bunker, John W. M. The antirachitic property of casein, xlv
Harrow, Benjamin, Mazur, Abraham, Chamelin, I. M., and Lesuk, Alex. Concentration of a hyperglycemic factor from urine, xlvi
Hart, E. B. See PEARSON, ELVEHJEM, and HART, 749
Hartman, Arthur M. The toxicity of calciferol for rabbits, xlvi
Hastings, A. Baird. See BROWMAN and HASTINGS, 241
—. See MUUS, BESSEY, and HASTINGS, lxxii
Hawkins, Nora C. See MORGAN, KIMMEL, and HAWKINS, lxx
Hays, Edwin E. See GUSTAVSON, HAYS, and WOOD, xlii
Heller, V. G., and Pursell, Lee. Physiological effects of phenol-contaminated drinking waters, xlvi
Helmer, O. M. See FOUTS, LEPKOVSKY, HELMER, and JUKES, xxxiv
Herbst, Robert M. The oxidation of hexosamines: *d*-glucosamine and *d*-glucosaminic acid, 85
Herrmann, Cornelius L. See BODANSKY, DUFF, and HERRMANN, xiii
Hess, W. C., and Sullivan, M. X. Further studies on the effect of aldehydes on cystine and cysteine, xlvii
—. See SULLIVAN and HESS, xcvi
—. See SULLIVAN, HOWARD, and HESS, 721
Hessler, Lyle E., and Gortner, Ross Aiken. The carbon metabolism of *Gibberella saubinetii* on glucose, 193
Hester, H. R. See FLOCK, BOLLMAN, HESTER, and MANN, xxxiii
Heymann, Walter. Further studies on the absorption, excretion, and mode of action of vitamin D, xlviii
Hill, Elsie. See KOEHLER, MARSH, and HILL, lix
Hirschmann, H. See WINTERSTEINER and HIRSCHMANN, cvii
Hisey, Alan. Oxygen uptake by dried hemoglobin, xlix
Holden, Raymond F., Jr. Determination of fermentable blood sugar by gasometric measurement of the carbon dioxide formed by the action of yeast, 347
Hodge, Harold Carpenter, Bale, William F., and LeFevre, Marian L. Molecular constitution of tooth and bone phosphates, xlix
Hodson, Adrian. See MAYNARD, HODSON, ELLIS, and MCCAY, lxvi

Hoehn, W. M. See KENDALL, MASON, HOEHN, and MCKENZIE, lvi

Hoffman, O. D. See KARR, AUSTIN, ABBOTT, and HOFFMAN, lv

Hoffman, William S. A photometric method for the determination of potassium in minute amounts of serum, p. 1

Hogan, Albert G., Richardson, Luther R., and **Johnson, Paul E.** A new deficiency disease associated with the vitamin B complex, p. 1

Hogden, Corinne G. See ROBINSON, PRICE, and HOGDEN, lxxxiii

Horwitt, M. K., and **Cowgill, George R.** The effects of minute amounts of lead on the animal organism, li

— and —. A titrimetric method for the quantitative estimation of lead in biological materials, 553

Howard, H. W. See SULLIVAN, HOWARD, and HESS, 721

Hubbard, Roger S., and **Russell, Nellie M.** The fructose content of spinal fluid, 647

—. See CLINTON and HUBBARD, 467

Hulpieu, H. R. See HARGER, HULPIEU, and LAMB, xliv

Hummel, Frances Cope. See HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS, lii

Hunscher, Helen A., Hummel, Frances Cope, Macy, Icie G., Todd, T. Wingate, and **Francis, C. C.** Is skeletal maturity related to calcium storage in children? lii

I

Isler, Otto. See JACOBS and ISLER, 155

J

Jacobs, Walter A., and **Craig, Lyman C.** The veratrine alkaloids. I. The degradation of cevine, 141

— and **Isler, Otto.** The sapogenins of *Polygala senega*, 155

Jensen, H. Chemical studies on toad poisons. Further contributions to the chemical constitution of marinobufagin, cinobufagin, and gamabufagin, lii

Johnson, Doris. See PARSONS, LEASE, and JOHNSON, lxxvii

Johnson, Paul E. See HOGAN, RICHARDSON, and JOHNSON, p. 1

Johnson, Robert E., and **Edwards, H. T.** Lactate and pyruvate in blood and urine after exercise, liv

Johnston, Margaret Woodwell, and **Newburgh, L. H.** The storage of carbohydrate by the liver during undernutrition, liv

Jones, Chase Breese. See DU VIGNEAUD, DYER, and JONES, 47

Jones, W. A. See SURE and JONES, xcvii

Jukes, Thomas H. See FOUTS, LEPKOVSKY, HELMER, and JUKES, xxxiv

Jukes, Thomas H. See LEPKOVSKY and JUKES, lx

K

Kane, Edward A. See SHINN, KANE, WISEMAN, and CARY, lxxxix

Kaplan, A., and **Chaikoff, I. L.** The effect of raw and autoclaved pancreas on the liver lipids of the completely depancreatized dog maintained with insulin, 435

—. See CHAIKOFF and KAPLAN, 423

Karr, Walter G., Austin, J. Harold, Abbott, W. O., and **Hoffman, O. D.** The rate at which glucose enters the duodenum from the stomach, lv

Kassell, Beatrice. Some observations on the determination of cystine and methionine in proteins, lvi

—. See BRAND, BLOCK, KASSELL, and CAHILL, 669

Kendall, Edward C., Mason, Harold L., Hoehn, W. M., and **McKenzie, Bernard F.** Further investigation of the suprarenal cortex, lvi

Kerr, Stanley E., Hampel, C. W., and **Ghantus, Musa.** The carbohydrate metabolism of brain. IV. Brain glycogen, free sugar, and lactic acid as affected by insulin in normal and adrenal-inactivated cats, and by epinephrine in normal rabbits, 405

Keys, Ancel. The microdetermination of chlorides in biological materials. Presentation of a method and an analysis of its use, 389

Kik, M. C. The nutritive value of lactalbumin, lvii

Kimmel, Louise. See MORGAN, KIMMEL, and HAWKINS, lxx

King, C. G. See STOTZ, HARRER, and KING, xcv, 511

Kleiber, Max. See Goss and KLEIBER, xxxviii

Knott, Elizabeth M., and **Schlutz, Frederic W.** Improvement and standardization of rat growth technique for short period assays of vitamin B, lviii

Koch, F. C. See DUNCAN, GALLAGHER, and KOCH, xxvii

—. See PETERSON, GALLAGHER, and KOCH, 185, lxxvii

Koehler, Alfred E., Marsh, Norman, and **Hill, Elsie.** The effect of epinephrine injected intravenously at a constant rate in normal and hypertensive cases, lix

Krahl, M. E., and **Clowes, G. H. A.** The significance of carbon dioxide tension for metabolic stimulation by substituted phenols, lx

Kuna, Martin. See LEVENE and ROTHEN, 189

L

Lamb, E. B. See HARGER, HULPIEU, and LAMB, xliv

Larson, Clarence E. See GREENBERG and LARSON, xxxix

Lassek, Arthur M. See REMINGTON and LASSEK, lxxxii

Lease, Jane G. See PARSONS, LEASE, and JOHNSON, lxxvii

Leavenworth, Charles S. See VICKERY, PUCHER, WAKEMAN, and LEAVENWORTH, 369

LeFevre, Marian L. See HODGE, BALE, and LEFEVRE, xlix

Lepkovsky, Samuel, and **Jukes, Thomas H.** Fractionation of the vitamin G complex, lx

—. See FOUTS, LEPKOVSKY, HELMER, and JUKES, xxxiv

Lesuk, Alex. See HARROW, MAZUR, CHAMELIN, and LESUK, xlvi

Leu, Madeline. See QUICK and LEU, lxxxi

Levene, P. A., and **Rothen, Alexandre.** Note on the configurational relationship of alkyl halides and 2-halogeno acids, 189

Levine, Victor E. The basal metabolic rate of the Eskimo, lxi

—. Capillary fragility tests on Eskimos and whites living in the Arctic, lxii

—, **Sachs, Adolph,** and **Fabian, A. Appelsis.** The blood iron and blood copper of Eskimos, lxiii

Lewis, Howard B. See PAPAGEORGE and LEWIS, lxxvi

Lindquist, F. E., and **Schmidt, Carl L. A.** Dielectric constants of aqueous solutions of certain amino acids and related substances, lxiii

Link, Karl Paul. See ROBERTS and LINK, 269

Logan, Milan A., and **Taylor, Henry L.** The formation and chemical nature of the bone salt, lxiv

Logan, Milan A., and **Taylor, Henry L.** Solubility of bone salt, 293

Luck, James Murray, and **Nimmo, Charles Colvin.** The effect of hydrogen ion concentration on the extractability of the liver proteins, lxv

Ludewig, Stephan. See CHANUTIN and LUDEWIG, xviii

M

Macy, Icie G. See HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS, lii

Malloy, Helga Tait, and **Evelyn, Kenneth A.** The determination of bilirubin with the photoelectric colorimeter, 481

Man, Evelyn B., and **Gildea, Edwin F.** Variations in lipemia of normal subjects, 769

Mann, Frank C. See FLOCK, BOLLMAN, HESTER, and MANN, xxxiii

Markley, K. S., and **Sando, Charles E.** The wax-like constituents of the cuticle of the cherry, *Prunus avium*, L. 641

Marrian, Guy Frederic, and **Butler, Gordon Cecil.** The isolation of a new compound from the urine of women with adrenal tumors, lxvi

—. See BUTLER and MARRIAN, 565

Marsh, Norman. See KOEHLER, MARSH, and HILL, lix

Mason, Harold L. See KENDALL, MASON, HOEHN, and MCKENZIE, lvi

Mason, Morton F., and **Evers, Ray.** Observations on the proteolytic activity of the sera of dogs with experimental uremia, 735

Maynard, L. A., Hodson, Adrian, Ellis, G. H., and **McCay, C. M.** The blood precursor of milk fat, lxvi

Mazur, Abraham. See HARROW, MAZUR, CHAMELIN, and LESUK, xlvi

McCay, C. M. See MAYNARD, HODSON, ELLIS, and MCCAY, lxvi

McClendon, J. F., Bratton, A. C., and **White, R. V.** Determination of iodine in ten cc. of blood by burning in platinum combustion tube with screw feed, and distillation, lxvii

McCollum, E. V. See PREBLUDA and MCCOLLUM, lxxix

McCoord, A. B. See CLAUSEN and MCCOORD, xviii

McCune, D. J. See CULBERT, MCCUNE, and WEECH, 589

McEwen, H. Douglas. See O'BRIEN, MCEWEN, and MORGAREIDGE, lxxiii

McIntyre, A. R., and **Burke, J. C.** The growth of algæ in synthetic bromine-free medium, lxviii

McKenzie, Bernard F. See KENDALL, MASON, HOEHN, and MCKENZIE, lvi

McNamara, E. W. See TWEEDY, MCNAMARA, TEMPLETON, and PATRAS, xcix

Metzger, Nannette. See BAUMANN, SPRINSON, and METZGER, viii

Meyer, Karl, Palmer, John W., and **Smyth, Elizabeth M.** On glycoproteins. V. Protein complexes of chondroitinsulfuric acid, 501

— and **Smyth, Elizabeth M.** On glycoproteins. VI. The preparation of chondroitinsulfuric acid, 507

—, —, and **Palmer, John W.** On glycoproteins. III. The polysaccharides from pig gastric mucosa, 73

—, —, and —. The polysaccharides from pig gastric mucosa, lxix

—. See PALMER, SMYTH, and MEYER, 491

Michaelis, Leonor, and **Schubert, Maxwell P.** Some problems in two-step oxidation treated for the case of phenanthrenequinonesulfonate, 133

Michel, Harry O. A spectrophotometric method for the determination of methemoglobin in hemoglobin solutions, lxix

Miller, Lloyd C. See CURTIS, MILLER, and WITT, xxi

Moore, Elinor, and **Wilson, D. Wright.** Nitrogenous extractives of scallop muscle. I. The isolation and a study of the structure of octopine, 573

— and —. II. Isolations from and quantitative analyses of muscles from freshly killed scallops, 585

Morgan, Agnes Fay, Kimmel, Louise, and **Hawkins, Nora C.** A comparison of the hypervita-

minoses induced by irradiated ergosterol and fish liver oil concentrates, lxx

Morgareidge, Kenneth. See O'Brien, McEwen, and Morgareidge, lxxiii

Morrison, Dempsie B. See Williams and Morrison, cv

Morse, Minerva, and **Schlutz, Frederic W.** The influence of kidney excretion upon the concentration of serum chloride and base of the dog during exercise, lxxi

Mueller, Arthur J., and **Cox, Warren M., Jr.** The effect of changes in diet on the volume and composition of rat milk, lxxii

Mueller, J. Howard. Pimelic acid as a growth accessory for the diphtheria bacillus, 121

Murray, Sheila. See Deuel, Butts, Hallman, Murray, and Blunden, 617

—. See Deuel, Hallman, and Murray, 257, xxii

—. See Deuel, Hallman, Murray, and Samuels, 607

Muus, Jytte, Bessey, Otto A., and **Hastings, A. Baird.** Effect of lactoflavin and vitamin B_6 deficiency on tissue metabolism, lxxii

N

Nelson, John W. See Cartland and Nelson, 59

Newburgh, L. H. See Johnston and Newburgh, liv

Ney, Luman F. See West and Ney, cii

Nimmo, Charles Colvin. See Luck and Nimmo, lxv

Norris, L. C. See Gallup and Norris, xxxvi

O

O'Brien, Brian, McEwen, H. Douglas, and **Morgareidge, Kenneth.** Vitamin D potency of irradiated milk as a function of energy input, lxxiii

Olcott, H. S. Paralysis in the young of vitamin E-deficient female rats, lxxiv

Orten, James M., and **Smith, Arthur H.** Rate of citric acid formation following the injection of the sodium salts of certain dicarboxylic acids, lxxiv

Otis, Louise. See Smith and Otis, xcii

P

Palmer, John W., Smyth, Elizabeth M., and **Meyer, Karl.** On glycoproteins. IV. The estimation of hexosamine, 491

—. See Meyer, Palmer, and Smyth, 501

—. See Meyer, Smyth, and Palmer, 73, lxix

Palmer, Leroy S. Biological assay of vitamin E; application to wheat germ and wheat germ oil, lxxv

Papageorge, Evangeline, and **Lewis, Howard B.** Experimental alcaptonuria in the white rat, lxxvi

Parsons, Helen T., Lease, Jane G., and Johnson, Doris. The storage in the body organs of the factor protective against the injury due to dietary egg white, lxxvii

Patras, Mary C. See Tweedy, McNamara, Templeton, and Patras, xcix

Pearson, P. B., Elvehjem, C. A., and Hart, E. B. The relation of protein to hemoglobin building, 749

Peterson, D. H., Gallagher, T. F., and Koch, F. C. The effect of acid hydrolysis on the yield of androgenic activity from human urine, lxxvii

—, —, and —. The effect of acid hydrolysis on the yield of androgenic and estrogenic activities from human urine, 185

Peterson, W. H. See Woolley and Peterson, cvii

Peugnet, Hubert B. See Urban and Peugnet, c

Pierce, H. B., Haege, Lorraine, and Froeschle, Paul F. The determination of the rate of emptying of the rat stomach following intragastric administration of glucose solutions, lxxviii

Pizzolato, Philip. See Beard, Boggess, and Pizzolato, ix

Power, Marschelle H. A volumetric method for the determination of acacia in serum, lymph, and urine, lxxviii

Prebluda, H. J., and McCollum, E. V. A chemical reagent for the detection and estimation of vitamin B_1, lxxix

Price, J. Waide. See Robinson, Price, and Hogden, lxxxiii

Pucher, George W., Wakeman, Alfred J., and Vickery, Hubert Bradford. The metabolism of the organic acids of the tobacco leaf during culture, 523

—. See Vickery, Pucher, Wakeman, and Leavenworth, 369

Pursell, Lee. See Heller and Pursell, xlvi

Pyle, James J., Fisher, John H., and Clark, R. H. The effect of certain physiologically important materials upon kidney phosphatase, 283

Q

Quastel, J. H., and Wheatley, A. H. M. Observations on anaerobic glycolysis in brain, lxxx

Quick, Armand J. The relation of the antithrombogens, heparin and calcomine-fast pink, to the antithrombin normally occurring in blood, lxxxi

— and **Leu, Madeline.** Quantitative determination of prothrombin, lxxxi

R

Reeves, R. E., and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. XLVIII. The occurrence of phthiocerol in the wax from various strains of the human tubercle bacillus, 535

Reeves, R. E., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. XLIX. The colorimetric determination of phthiocol, 543

Remington, Roe E., and **Lassek, Arthur M.** The response of goitrous rats to iodide administration, lxxxii

Richardson, Luther R. See Hogan, Richardson, and Johnson, p. l

Rittenberg, D. The biological synthesis of cholesterol as studied with the use of deuterium, lxxxiii

—. See Evans and Rittenberg, xxxi

Roberts, Willard L., and **Link, Karl Paul.** A precise method for the determination of coumarin, melilotic acid, and coumaric acid in plant tissue, 269

Robinson, Howard W., Price, J. Waide, and **Hogden, Corinne G.** The estimation of albumin and globulin in blood serum. I. A study of the errors involved in the filtration procedure, lxxxiii

Roe, Joseph H. Further studies of the metabolism of heptoses, lxxxiv

Rose, Anton R., Schattner, Fred, and **Exton, William G.** Partition and determination of blood lipids, lxxxiv

Ross, Frank J. See Dunn, Ross, and Stoddard, xxviii

Rothen, Alexandre. See Levene and Rothen, 189

Russell, Nellie M. See Hubbard and Russell, 647

Russell, Walter C., Taylor, M. W., and **Duncan, Marion T.** Bone growth in normal and rachitic rats, lxxxv

Rutenber, Charles B., and **Andrews, James C.** Studies on the Benedict-Denis procedure for the determination of total sulfur in biological materials, lxxxvi

S

Sachs, Adolph. See Levine, Sachs, and Fabian, lxiii

Samuels, Leo T. See Deuel, Hallman, Murray, and Samuels, 607

Samuelsen, George S. See Haley and Samuelsen, 383

Sando, Charles E. See Markley and Sando, 641

Schattner, Fred. See Rose, Schattner, and Exton, lxxxiv

Schlutz, Frederic W. See Knott and Schlutz, lviii

—. See Morse and Schlutz, lxxi

Schmidt, Carl L. A. See Lindquist and Schmidt, lxiii

Schmidt, L. H. The secretion of sodium cholate into the bile as affected by thyroxine, lxxxvii

Schoenheimer, Rudolf. Studies in the intermediate metabolism of the fatty acids with deuterium as an indicator, lxxxvii

Schubert, Maxwell P. See Michaelis and Schubert, 133

Schultz, Harold W. The thermostability of some of the components of the vitamin B complex in yeast, lxxxviii
Scott, D. A. See Fisher and Scott, xxxiii
Sheppard, Fay, and **Everett, Mark R.** Determination of carbohydrates in proteins, lxxxix
—. See Everett and Sheppard, xxxii
Shinn, Leo A., Kane, Edward A., Wiseman, Herbert G., and **Cary, C. A.** The accuracy of routine carotene determinations as a measure of vitamin A potency, lxxxix
Sinclair, Robert Gordon. The phospholipids of the intestinal mucosa during fat absorption, xc
Smith, Arthur H. See Orten and Smith, lxxiv
—. See Winnek and Smith, 93, cvi
Smith, Elizabeth R. B., and **Smith, Paul K.** The activity coefficients of some amino acids, xci
Smith, Margaret Cammack, and **Otis, Louise.** Hemoglobin regeneration at different levels of iron intake in rats made anemic in the presence of copper, xcii
Smith, Paul K. See Smith and Smith, xci
Smyth, Elizabeth M. See Meyer, Palmer, and Smyth, 501
—. See Meyer and Smyth, 507
Smyth, Elizabeth M. See Meyer, Smyth, and Palmer, 73, lxix
—. See Palmer, Smyth, and Meyer, 491
Snyder, Fred H. See Corley and Snyder, xx
Somogyi, Michael. Detection and quantitative determination of small amounts of glucose in mixtures containing maltose, 741
Spencer, Howard C. Microdetermination of collagen, xcii
Sperry, Warren M., and **Bergmann, Werner.** The absorbability of sterols with particular reference to ostreasterol, 171
— and **Stoyanoff, V. A.** The effect of bile salts on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum, xciii
Sprinson, David B. See Baumann and Sprinson, vii
—. See Baumann, Sprinson, and Metzger, viii
Stearns, Genevieve. See Catherwood and Stearns, 201
Stekol, Jakob A. The dependence of the extent of synthesis of *p*-bromophenylmercapturic acid in dogs on body weight, xciv
Stern, Kurt G., and **White, Abraham.** Studies on the constitution of insulin. Properties of —SH— insulin and the reaction of —S—S— insulin with ketene, xcv
—. See White and Stern, 215

Stoddard, M. Palmer. See DUNN, ROSS, and STODDARD, xxviii

Stotz, Elmer, Harrer, Carter J., and King, C. G. A study of "ascorbic acid oxidase" in relation to copper, xcv, 511

Stoyanoff, V. A. See SPERRY and STOYANOFF, xciii

Sullivan, M. X., and Hess, W. C. The cystine content of insulin, xcvi

—, **Howard, H. W., and Hess, W. C.** The estimation of cystine in finger nail clippings with hydrolysis for one hour, 721

—. See HESS and SULLIVAN, xlvii

Sumner, James B., and Dounce, Alexander L. Can crystalline urease be made to function as arginase? xcvii

Sure, Barnett, and Jones, W. A. The rôle of vitamin B_1 in cardiovascular diseases, xcvii

T

Talbott, John H. See DILL, TALBOTT, and CONSOLAZIO, xxiii

Tashiro, Shiro. The nature of a gastric ulcer-producing substance isolated from muscle, xcviii

Taylor, Henry L. See LOGAN and TAYLOR, 293, lxiv

Taylor, M. W. See RUSSELL, TAYLOR, and DUNCAN, lxxxv

Templeton, R. D. See TWEEDY, MCNAMARA, TEMPLETON, and PATRAS, xcix

Thomas, Byron H. See ECK and THOMAS, 621, 631

Todd, T. Wingate. See HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS, lii

Toennies, Gerrit. The alleged formation of a sulfenic acid by the oxidation of cysteine with dithioformamidine, xcix

Tufts, Elma V. See GREENBERG and TUFTS, xl

Tweedy, Wilbur R., McNamara, E. W., Templeton, R. D., and Patras, Mary C. The effect of calciferol on the serum calcium level in the nephrectomized and in the thyroparathyroidectomized-nephrectomized rat, xcix

U

Urban, Frank, and Peugnet, Hubert B. Oscillographic study of the cytochromes during muscular contraction, c

V

Venning, Eleanor Hill. Gravimetric method for the determination of sodium pregnandiol glucuronidate (an excretion product of progesterone), 473

Vickery, Hubert Bradford, Pucher, George W., Wakeman, Alfred J., and Leavenworth, Charles S. The metabolism of amides in green plants. I. The amides of the tobacco leaf, 369

—. See PUCHER, WAKEMAN, and VICKERY, 523

du Vigneaud, Vincent, Dyer, Helen M., and Jones, Chase Breese. Studies of the physiological behavior of the acetyl derivatives of the optical isomers of homocystine; a biological proof of their stereostructure, 47

Virtue, Robert W., and Doster-Virtue, Mildred E. Precursors of taurocholic acid, ci

— and —. Studies on the production of taurocholic acid in the dog, 697

W

Wakeman, Alfred J. See Pucher, Wakeman, and Vickery, 523

—. See Vickery, Pucher, Wakeman, and Leavenworth, 369

Walti, A. Crystalline ficin, ci

Wang, Chi Che. Basal metabolism, preformed and total creatinine nitrogen in twenty-four boys and forty-six girls between one month and fifteen years of age, cii

Waters, E. T. See Fletcher and Waters, xxxiii

Webster, M. Dorothy. See Bernheim and Webster, xi

Weech, A. A. See Culbert, McCune, and Weech, 589

Werthessen, Nicholas T. An apparatus for the measurement of the metabolic rate of small animals, 233

West, Edward S., and Ney, Luman F. A reaction of ascorbic acid with formaldehyde, cii

West, Harold D., and Carter, Herbert E. Synthesis of α-amino-β-hydroxy-*n*-butyric acids. III. A simple method of preparing a mixture of the two forms, 103

— and —. IV. Separation of mixtures of the two forms and preparation of *d*(−)- and *l*(+)-threonine, 109

Wheatley, A. H. M. See Quastel and Wheatley, lxxx

Whipple, Dorothy V., and Church, Charles F. The effect of vitamin B_1 on the respiratory quotient, ciii

White, Abraham. Some products of the partial hydrolysis of crystalline edestin by pepsin, ciii

— and **Stern, Kurt G.** Studies on the constitution of insulin. II. Further experiments on reduced insulin preparations, 215

—. See Beach and White, viii

—. See Stern and White, xcv

White, R. V. See McClendon, Bratton, and White, lxvii

Wilder, Violet M. The cholesterol content of dystrophic rabbits, civ

Wiley, Frank H., Bergen, Dorothy S., and Blood, Frank R. The formation of oxalic acid, cv

Williams, Edward F., Jr., and Morrison, Dempsie B. Displacement of globin from hemoglobin by pyridine, cv

Wilson, D. Wright. See MOORE and WILSON, 573, 585
Wilson, Hildegarde, and **Cannan, R. Keith.** The glutamic acid-pyrrolidonecarboxylic acid system, 309
Winnek, Philip S., and **Smith, Arthur H.** The determination of bromine in biological substances, 93
— and —. Influence of bromide and chloride in the diet on the amount of bromine in the body, cvi
Wintersteiner, Oskar, and **Hirschmann, H.** Estrogenic diols in the urine of pregnant mares, cvii
Wiseman, Herbert G. See SHINN, KANE, WISEMAN, and CARY, lxxxix
Witt, Ewald. See CURTIS, MILLER, and WITT, xxi
Wood, Thomas R. See GUSTAVSON, HAYS, and WOOD, xlii
Woolley, D. W., and **Peterson, W. H.** Isolation of nitrogenous compounds from the mold *Aspergillus sydowi*, cvii

INDEX TO SUBJECTS

A

Acacia: Blood serum, lymph, and urine, determination, volumetric (POWER) lxxviii

Acetic acid: Guanido-, excretion (BODANSKY, DUFF, and HERRMANN) xiii

Acetone: Blood, determination (ABELS) 663

Urine, determination (ABELS) 663

Acid: Blood serum euglobulins, combination (GREEN) xxxix

Acrodynia: Production and cure (GUERRANT, CHORNOCK, and DUTCHER) xlii

Adrenal: Cortex (KENDALL, MASON, HOEHN, and MCKENZIE). lvi

-Inactivated cats, brain glycogen, free sugar, and lactic acid, insulin effect (KERR, HAMPEL, and GHANTUS) 405

Tumor, urine compound, new (MARRIAN and BUTLER) lxvi

Adrenalectomy: Glucose absorption, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607

Glycogen formation, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607

Adreno-genital syndrome: Pregnane-3, 17, 20-triol, urine, isolation (BUTLER and MARRIAN) 565

Age: Liver glycogen, sexual variation, effect (DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 617

Albumin: Blood serum and plasma (CAMPBELL and HANNA) 15

— —, determination, errors (ROBINSON, PRICE, and HOGDEN) lxxxiii

Alcaptonuria: Rat (PAPAGEORGE and LEWIS) lxxvi

Aldehydes: Cystine and cysteine determination, effect (HESS and SULLIVAN) xlvii

Algæ: Bromine-free medium, synthetic, growth (MCINTYRE and BURKE) lxviii

Alkaloids: Veratrine (JACOBS and CRAIG) 141

Alkalosis: Overventilation, fixed base excretion (BRIGGS) xv

Alkyl halides: 2-Halogeno acids, configurational relationship (LEVENE and ROTHEN) 189

Altitude: Blood physicochemical properties, effect (DILL, TALBOTT, and CONSOLAZIO) xxiii

Amides: Tobacco leaf, metabolism (VICKERY, PUCHER, WAKEMAN, and LEAVENWORTH) 369

Amino acid(s): Activity coefficients (SMITH and SMITH) xci

Brain, proteins, mammalian (BLOCK) 765

Branched chain, catabolism (CORLEY and SNYDER) xx

Creatine formation and storage, injection effect (BEARD, BOGGESS, and PIZZOLATO) ix

Dielectric constants, aqueous solutions (LINDQUIST and SCHMIDT) lxiii

Metabolism (BUTTS, BLUNDEN, and DUNN) 247

Neuroproteins (BLOCK) xi

Proteins, neurofibrils (BLOCK) xi

-Related substances, creatine formation and storage, injection effect (BEARD, BOGGESS, and PIZZOLATO) ix

— —, dielectric constants, aqueous solutions (LINDQUIST and SCHMIDT) lxiii

Solubility, sulfuric acid (ANDREWS) v

—, water-ethyl alcohol mixtures (DUNN, ROSS, and STODDARD) xxviii

Amino - β - hydroxy - n - butyric acids: α-, synthesis (WEST and CARTER) 103, 109

Androgenic activity: Urine, acid hydrolysis effect (PETERSON, GALLAGHER, and KOCH) 185, lxxvii

Anemia: Nutritional, with copper in diet, hemoglobin regeneration, iron effect (SMITH and OTIS) xcii

Antithrombin: Heparin and calcomine-fast pink, relation (QUICK) lxxxi

Apparatus: Metabolism, small animals (WERTHESSEN) 233

Arachin: Methionine, limiting nutritive factor of (BEACH and WHITE) viii

Aragonite: Solubility, salt solutions (BROWMAN and HASTINGS) 241

Arginase: Urease, non-identity (SUMNER and DOUNCE) xcvii

Ascorbic acid: Formaldehyde, reaction (WEST and NEY) cii

Oxidase, copper relation (STOTZ, HARRER, and KING) xcv, 511

Aspartic acids: *dl*-, fate (BUTTS, BLUNDEN, and DUNN) 247 (BUTTS, DUNN, and BLUNDEN) xv

l-, fate (BUTTS, BLUNDEN, and DUNN) 247 (BUTTS, DUNN, and BLUNDEN) xv

Aspergillus sydowi: Nitrogenous compounds, isolation (WOOLLEY and PETERSON) cvii

B

Bacillus: Diphtheria. *See* Diphtheria bacillus

Tubercle. *See* Tubercle bacillus

Basal metabolism: Apparatus, small animals (WERTHESSEN) 233
Creatinine nitrogen, preformed and total, boys and girls (WANG) cii
Eskimo (LEVINE) lxi
Nembutal effect (CAVETT) xvii
Phosphorus-deficient diet (Goss and KLEIBER) xxxviii
Base: Blood serum euglobulins, combination (GREEN) xxxix
— —, kidney excretion, exercise effect (MORSE and SCHLUTZ) lxxi
Fixed, excretion, alkalosis of overventilation (BRIGGS) xv
Benzene: Monobromo-, detoxication (HALEY and SAMUELSEN) 383
Benzoic acid: 3,5-Dinitro-, blood creatine determination (ANDES) iv
Bile: Sodium cholate, thyroxine effect (SCHMIDT) lxxxvii
Bile acids: Conjugated, synthesis (CORTESE and BASHOUR) 177
Hemolytic and antihemolytic properties (BERLINER) xi
Bile salts: Blood serum cholesterol esters, enzymatic synthesis and hydrolysis, effect (SPERRY and STOYANOFF) xciii
Bilirubin: Determination, photoelectric colorimeter (MALLOY and EVELYN) 481
Blood: Lipids, determination (ROSE, SCHATTNER, and EXTON) lxxxiv
Physicochemical properties, altitude effect (DILL, TALBOTT, and CONSOLAZIO) xxiii
Salt and water, muscle and, exchange, hydronephrosis effect (EICHELBERGER) xxx
Blood plasma: Proteins, nephrectomy, partial, effect (CHANUTIN and LUDEWIG) xviii
Blood serum: Base, kidney excretion, exercise effect (MORSE and SCHLUTZ) lxxi
Evaporation rate, vapor pressure, osmotic pressure, and solute concentration measured by (CULBERT, MCCUNE, and WEECH) 589
Gonad-stimulating hormone, pregnancy, preparation and purification (CARTLAND and NELSON) 59
Proteolysis, uremia (MASON and EVERS) 735
Ultrafiltrates, picrate precipitate (GAEBLER and ABBOTT) xxxvi
Blood sugar: Fermentable, determination, gasometric (HOLDEN) 347
Bone: Growth, normal and rachitic rats (RUSSELL, TAYLOR, and DUNCAN) lxxxv
Phosphates, molecular constitution (HODGE, BALE, and LEFEVRE) xlix
Salt, formation and nature (LOGAN and TAYLOR) lxiv
—, solubility (LOGAN and TAYLOR) 293

Boys: Basal metabolism, preformed and total creatinine nitrogen (WANG) cii
Brain: Carbohydrate metabolism (KERR, HAMPEL, and GHANTUS) 405
Glycogen, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405
Glycolysis, anaerobic (QUASTEL and WHEATLEY) lxxx
Lactic acid, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405
Proteins, amino acids, mammalian (BLOCK) 765
Sugar, free, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405
Bromide: Dietary, body bromine, effect (WINNEK and SMITH) cvi
Bromine: Biological substances, determination (WINNEK and SMITH) 93
Body, dietary bromide and chloride, effect (WINNEK and SMITH) cvi
-Free medium, synthetic, algæ growth (MCINTYRE and BURKE) lxviii
Bromophenylmercapturic acid: *p*-, synthesis, body weight, relation (STEKOL) xciv
Bufagin: Cino-, chemical constitution (JENSEN) lii
Gama-, chemical constitution (JENSEN) lii
Marino-, chemical constitution (JENSEN) lii
Butyric acid(s): α-Amino-β-hydroxy-*n*-, synthesis (WEST and CARTER) 103, 109
Butyric acid(s)—*continued:*
dl-α-Hydroxy-γ-methio-, metabolism, cystinuria (BLOCK, BRAND, and CAHILL) xii
(BRAND, BLOCK, and CAHILL) 681
γ-Thio-, and γ,γ′-dithiodi-, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 689

C

Calciferol: Blood serum calcium, nephrectomized and thyroparathyroidectomized-nephrectomized rat, effect (TWEEDY, MCNAMARA, TEMPLETON, and PATRAS) xcix
Toxicity (HARTMAN) xlvi
Calcium: Blood serum, nephrectomized and thyroparathyroidectomized-nephrectomized rat, calciferol effect (TWEEDY, MCNAMARA, TEMPLETON, and PATRAS) xcix
— —, partition, mathematical relations (GREENBERG and LARSON) xxxix
Storage, skeletal maturity, children, relation (HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS) lii
Calcomine-fast pink: Antithrombin, relation (QUICK) lxxxi
Capillary: Fragility, Eskimos and whites in Arctic (LEVINE) lxii
Carbohydrates: Classification, new (EVERETT and SHEPPARD) xxxii

Carbohydrates—*continued:*
Metabolism, brain (KERR, HAMPEL, and GHANTUS) 405
—, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607
(DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 617
Proteins, determination (SHEPPARD and EVERETT) lxxxix
Storage, liver, undernutrition effect (JOHNSTON and NEWBURGH) liv
Carbon: Metabolism, *Gibberella saubinetii* on glucose (HESSLER and GORTNER) 193
Carbon dioxide: Tension, substituted phenols, metabolism effect (KRAHL and CLOWES) lx
Cardiovascular disease: Vitamin B_1 relation (SURE and JONES) xcvii
Caries: Enamel and dentin, fluorine (ARMSTRONG) v
Carotene: Determinations, vitamin A potency, accuracy (SHINN, KANE, WISEMAN, and CARY) lxxxix
Utilization, fetus, human (CLAUSEN and MCCOORD) xviii
Casein: Antirachitic property (HARRIS and BUNKER) xlv
Flavin-deficient diets, cataract, effect (DAY and DARBY) xxii
Metabolism, cystinuria (BRAND, BLOCK, KASSELL, and CAHILL) 669
Castration: Theelol sensitivity, female rats (CURTIS, MILLER, and WITT) xxi
Cataract: Flavin-deficient diets, casein effect (DAY and DARBY) xxii
Cerebrospinal fluid: Fructose (HUBBARD and RUSSELL) 647
Cevine: Degradation (JACOBS and CRAIG) 141
Cherry: Cuticle, wax-like constituents (MARKLEY and SANDO) 641
Children: Calcium storage and skeletal maturity, relation (HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS) lii
Chloride(s): Biological materials, microdetermination (KEYS) 389
Blood serum, kidney excretion, exercise effect (MORSE and SCHLUTZ) lxxi
Dietary, body bromine, effect (WINNEK and SMITH) cvi
Cholesterilene: Chemical activation (ECK and THOMAS) 631
Cholesterol: Biological synthesis, deuterium use (RITTENBERG) lxxxiii
Chemical activation (ECK and THOMAS) 621, 631
Esters, blood serum, enzymatic synthesis and hydrolysis, bile salts, effect (SPERRY and STOYANOFF) xciii
Dystrophy, content (WILDER) civ
Muscle, activity effect (BLOOR) 451

Choline: Oxidase (BERNHEIM and WEBSTER) xi
Chondroitinsulfuric acid: Preparation (MEYER and SMYTH) 507
Protein complexes (MEYER, PALMER, and SMYTH) 501
Cinobufagin: Chemical constitution (JENSEN) lii
Citric acid: Formation, sodium salts of dicarboxylic acids, injection effect (ORTEN and SMITH) lxxiv
Collagen: Microdetermination (SPENCER) xcii
Comb: Response, sex hormones, effect (DORFMAN and GREULICH) xxv
Copper: Anemia with diet including, hemoglobin regeneration, iron effect (SMITH and OTIS) xcii
Ascorbic acid oxidase, relation (STOTZ, HARRER, and KING) xcv, 511
Blood, Eskimos (LEVINE, SACHS, and FABIAN) lxiii
Coumaric acid: Plant tissue, determination (ROBERTS and LINK) 269
Coumarin: Plant tissue, determination (ROBERTS and LINK) 269
Creatine: Blood, determination, 3,5-dinitrobenzoic acid reagent (ANDES) iv
Excretion, infancy (CATHERWOOD and STEARNS) 201
Formation and storage, amino acids and related substances, injection effect (BEARD, BOGGESS, and PIZZOLATO) ix
Creatinine: Excretion, infancy (CATHERWOOD and STEARNS) 201
Nitrogen, preformed and total, basal metabolism, boys and girls (WANG) cii
Substances in picrate precipitate, blood serum (GAEBLER and ABBOTT) xxxvi
Cysteine: Alleged sulfenic acid formation, oxidation (TOENNIES) xcix
l-Cysteinyl-*l*-, hydrochloride, crystalline, synthesis (GREENSTEIN) xli
Determination, aldehyde effect (HESS and SULLIVAN) xlvii
S-Methyl-, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 689
Cysteinyl-*l*-cysteine hydrochloride: *l*-, crystalline, synthesis (GREENSTEIN) xli
Cystine: Derivatives, partially oxidized, replaceability (BENNETT) x
Determination, aldehyde effect (HESS and SULLIVAN) xlvii
Finger nail, determination (SULLIVAN, HOWARD, and HESS) 721
Homo-, optical isomers, acetyl derivatives (DU VIGNEAUD, DYER, and JONES) 47
Insulin (SULLIVAN and HESS) xcvi
Metabolism (HALEY and SAMUELSEN) 383
Proteins, determination (KASSELL) lvi
Urine, source, cystinuria (BRAND, BLOCK, and CAHILL) xiv

Cystinuria: Casein metabolism (BRAND, BLOCK, KASSELL, and CAHILL) 669
γ,γ′-Dithiodibutyric acid metabolism (BRAND, BLOCK, and CAHILL) 689
dl-α-Hydroxy-γ-methiobutyric acid metabolism (BLOCK, BRAND, and CAHILL) xii (BRAND, BLOCK, and CAHILL) 681
Lactalbumin metabolism (BRAND, BLOCK, KASSELL, and CAHILL) 669
Methionine hydroxy analogue, metabolism (BRAND, BLOCK, and CAHILL) 681
S-Methylcysteine metabolism (BRAND, BLOCK, and CAHILL) 689
γ-Thiobutyric acid metabolism (ERAND, BLOCK, and CAHILL) 689
Urine cystine, source (BRAND, BLOCK, and CAHILL) xiv

Cytochromes: Muscle contraction, oscillographic study (URBAN and PEUGNET) c

D

Dentin: Fluorine, sound and carious teeth (ARMSTRONG) v

Dermatitis: Anti-, factors, rat and chick, deficiency, puppies on synthetic diet, effect (FOUTS, LEPKOVSKY, HELMER, and JUKES) xxxiv
Florid, production and cure (GUERRANT, CHORNOCK, and DUTCHER) xlii

Deuterium: Cholesterol, biological synthesis, use (RITTENBERG) lxxxiii
Fatty acid metabolism, intermediary, deuterium as indicator (SCHOENHEIMER) lxxxvii

Dicarboxylic acids: Sodium salts, injection, citric acid formation, effect (ORTEN and SMITH) lxxiv

Diet: Factor W (FROST and ELVEHJEM) xxxiv
Milk volume and composition, effect (MUELLER and COX) lxxii
Parathyroid hypertrophy production (BAUMANN and SPRINSON) vii

Dimethyllysine: α-N-, growth, availability (GORDON) xxxvii

Dinitrobenzoic acid: 3,5-, blood creatine determination (ANDES) iv

Diphtheria bacillus: Pimelic acid as growth accessory (MUELLER) 121

Dithiodibutyric acid: γ,γ′-, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 689

Dithioformamidine: Cysteine oxidation, alleged sulfenic acid formation (TOENNIES) xcix

Divinyl oxide: *See* Vinyl ether

Djenkolic acid: Homo-, metabolism (DYER) xxviii
Metabolism (DYER) xxviii

Dystrophy: Cholesterol content (WILDER) civ

E

Edestin: Crystalline, pepsin partial hydrolysis products (WHITE) ciii

Egg: Anti-, injury factor, isolation (GYÖRGY) xliii

White injury, protective factor, body storage (PARSONS, LEASE, and JOHNSON) lxxvii

Enamel: Fluorine, sound and carious teeth (ARMSTRONG) v

Energy: Input, irradiated milk vitamin D potency, relation (O'BRIEN, MCEWEN, and MOGAREIDGE) lxxiii

Enzyme(s): Blood serum cholesterol esters, synthesis and hydrolysis by, bile salts, effect (SPERRY and STOYANOFF) xciii

Protein synthesis, intracellular (BERGMANN and FRAENKEL-CONRAT) 707

Proteolytic, intracellular, nature (BERGMANN, FRUTON, and FRAENKEL-CONRAT) 35

See also Arginase, Oxidase, Pepsin, Phosphatase, Urease

Epinephrine: Brain glycogen, free sugar, and lactic acid, effect (KERR, HAMPEL, and GHANTUS) 405

Injection rate, normal and hypertensive cases, effect (KOEHLER, MARSH, and HILL) lix

Ergosterol: Irradiated, fish liver oil concentrates and, hypervitaminoses, comparison (MORGAN, KIMMEL, and HAWKINS) lxx

Eskimo: Basal metabolism (LEVINE) lxi

Blood copper (LEVINE, SACHS, and FABIAN) lxiii

— iron (LEVINE, SACHS, and FABIAN) lxiii

Capillary fragility (LEVINE) lxii

Estrogenic activity: Urine, acid hydrolysis effect (PETERSON, GALLAGHER, and KOCH) 185

Estrogenic diols: Urine, pregnant mares (WINTERSTEINER and HIRSCHMANN) cvii

Estrogenic substance: Urine, menstrual cycle, determination (GUSTAVSON, HAYS, and WOOD) xlii

Estrogens: Uterus and vagina, infantile, effect (DORFMAN) xxiv

Estrus: -Inhibiting substances, testis concentrates (DUNCAN, GALLAGHER, and KOCH) xxvii

Ethyl alcohol: Body storage, equilibrium (HARGER, HULPIEU, and LAMB) xliv

Formation, yeast grown in heavy water (EVANS and RITTENBERG) xxxi

Euglobulin: Blood serum, acid and base combination (GREEN) xxxix

Exercise: Blood serum chloride and base, kidney excretion, effect (MORSE and SCHLUTZ) lxxi

F

Fasting: Ketonuria, fatty livers, relation (DEUEL, HALLMAN, and MURRAY) 257

Fat: Absorption, intestinal mucosa phospholipids (SINCLAIR) xc

Liver, depancreatized dogs with insulin, distribution (CHAIKOFF and KAPLAN) 423

—, ketonuria relation (DEUEL, HALLMAN, and MURRAY) xxii

Milk, precursor (MAYNARD, HODSON, ELLIS, and MCCAY) lxvi

Fatty acids: Metabolism, intermediary, deuterium as indicator (SCHOENHEIMER) lxxxvii

Fetus: Human, carotene utilization (CLAUSEN and MCCOORD) xviii

Fibrinogen: Blood serum and plasma (CAMPBELL and HANNA) 15

Ficin: Crystalline (WALTI) ci

Finger: Nail, cystine determination (SULLIVAN, HOWARD, and HESS) 721

Fish liver oil: Concentrates, irradiated ergosterol and, hypervitaminoses, comparison (MORGAN, KIMMEL, and HAWKINS) lxx

Flavin: -Deficient diets, cataract, casein effect (DAY and DARBY) xxii

Fluorine: Dentin, sound and carious teeth (ARMSTRONG) v

Fluorine—*continued:*

Enamel, sound and carious teeth (ARMSTRONG) v

Formaldehyde: Ascorbic acid reaction (WEST and NEY) cii

Formamidine: Dithio-, cysteine oxidation, alleged sulfenic acid formation (TOENNIES) xcix

Fructose: Cerebrospinal fluid (HUBBARD and RUSSELL) 647

Destruction by oxygen, factors influencing (CLINTON and HUBBARD) 467

Glucose tolerance, normal and depancreatized animals, effect (FLETCHER and WATERS) xxxiii

Fungus: *See also Gibberella saubinetii*

G

Gamabufagin: Chemical constitution (JENSEN) lii

Gastric: *See* Stomach

Gibberella saubinetii: Carbon metabolism on glucose (HESSLER and GORTNER) 193

Girls: Basal metabolism, preformed and total creatinine nitrogen (WANG) cii

Globulin: Blood serum and plasma (CAMPBELL and HANNA) 15

— —, determination, errors (ROBINSON, PRICE, and HOGDEN) lxxxiii

Glucosamine: *d*-, oxidation (HERBST) 85

Glucosaminic acid: *d*-, oxidation (HERBST) 85

Glucose: Absorption, normal and adrenalectomized rats, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607
Destruction by oxygen, factors influencing (CLINTON and HUBBARD) 467
Duodenum entry rate (KARR, AUSTIN, ABBOTT, and HOFFMAN) lv
Maltose-containing mixtures, microdetermination (SOMOGYI) 741
Stomach emptying rate, administration effect (PIERCE, HAEGE, and FROESCHLE) lxxviii
Tolerance, normal and depancreatized animals, fructose effect (FLETCHER and WATERS) xxxiii
Glucose-1-phosphoric acid: Isolation and synthesis (CORI, CORI, and COLOWICK) xix
Glutamic acid(s): *d*-, fate (BUTTS, BLUNDEN, and DUNN) 247 (BUTTS, DUNN, and BLUNDEN) xv
dl-, fate (BUTTS, BLUNDEN, and DUNN) 247 (BUTTS, DUNN, and BLUNDEN) xv
dl-Pyro-, fate (BUTTS, BLUNDEN, and DUNN) 247 (BUTTS, DUNN, and BLUNDEN) xv
-Pyrrolidonecarboxylic acid system (WILSON and CANNAN) 309
Glycogen: Brain, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405
Glycogen—*continued:*
Formation, normal and adrenalectomized rats, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607
Liver, sexual variation, age effect (DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 617
Separation (CAMPBELL) xvii
Glycolysis: Brain, anaerobic (QUASTEL and WHEATLEY) lxxx
Glycoproteins: (MEYER, SMYTH, and PALMER) 73 (PALMER, SMYTH, and MEYER) 491 (MEYER, PALMER, and SMYTH) 501 (MEYER and SMYTH) 507
Goiter: Iodide administration, effect (REMINGTON and LASSEK) lxxxii
Gonad: -Stimulating hormone, blood serum, pregnancy, preparation and purification (CARTLAND and NELSON) 59
Growth: *d*-Lysine and (HAMMETT) xliv
α-N-Monomethyllysine and α-N-dimethyllysine, availability (GORDON) xxxvii
Guanidoacetic acid: Excretion (BODANSKY, DUFF, and HERRMANN) xiii

H

Halogeno acids: 2-, alkyl halides, configurational relationship (LEVENE and ROTHEN) 189
Hemin: *Spirographis*, oxidation-reduction potentials (BARRON) vi

Hemochromogens: *Spirographis*, oxidation-reduction potentials (BARRON) vi
Hemoglobin: Building, protein relation (PEARSON, ELVEHJEM, and HART) 749
Derivatives, absorption spectra (DRABKIN) xxvi
Dried, oxygen uptake (HISEY) xlix
Globin displacement by pyridine (WILLIAMS and MORRISON) cv
Regeneration, anemia in presence of copper, iron effect (SMITH and OTIS) xcii
Heparin: Antithrombin, relation (QUICK) lxxxi
Heptoses: Metabolism (ROE) lxxxiv
Hexosamine(s): Determination (PALMER, SMYTH, and MEYER) 491
Oxidation (HERBST) 85
Homocystine: Optical isomers, acetyl derivatives (DU VIGNEAUD, DYER, and JONES) 47
Homodjenkolic acid: Metabolism (DYER) xxviii
Hydrogen ion concentration: Liver proteins, extractability, effect (LUCK and NIMMO) lxv
Hydronephrosis: Blood and muscle salt and water exchange, effect (EICHELBERGER) xxx
Hydroxy-γ-methiobutyric acid: *dl*-α-, metabolism, cystinuria (BLOCK, BRAND, and CAHILL) xii
(BRAND, BLOCK, and CAHILL) 681
Hyperglycemia: Factor, urine (HARROW, MAZUR, CHAMELIN, and LESUK) xlvi
Hypertension: Epinephrine injection rate, effect (KOEHLER, MARCH, and HILL) lix
Hypervitaminosis: Ergosterol, irradiated, and fish liver oil concentrates, comparison (MORGAN, KIMMEL, and HAWKINS) lxx

I

Infancy: Creatine excretion (CATHERWOOD and STEARNS) 201
Creatinine excretion (CATHERWOOD and STEARNS) 201
Insulin: Action, prolongation (FISHER and SCOTT) xxxiii
Brain glycogen, free sugar, and lactic acid, normal and adrenal-inactivated cats, effect (KERR, HAMPEL, and GHANTUS) 405
Constitution, properties and reactions of sulfur present (STERN and WHITE) xcv
Cystine (SULLIVAN and HESS) xcvi
Liver fat, depancreatized dogs, effect (CHAIKOFF and KAPLAN) 423
— lipids, depancreatized dogs, pancreas feeding and, effect (KAPLAN and CHAIKOFF) 435
Reduced, properties (WHITE and STERN) 215
Intestine: Mucosa, phospholipids, fat absorption (SINCLAIR) xc

Iodide: Goiter, administration effect (REMINGTON and LASSEK) lxxxii
Iodine: Blood, determination (MCCLENDON, BRATTON, and WHITE) lxvii
Iron: Blood, Eskimos (LEVINE, SACHS, and FABIAN) lxiii
Hemoglobin regeneration, anemia in copper presence, effect (SMITH and OTIS) xcii
Inorganic, animal tissues, determination (BORGEN and ELVEHJEM) 725

K

Ketogenesis: (COHEN) 333
Ketonuria: Fasting, fatty livers, relation (DEUEL, HALLMAN, and MURRAY) 257
Liver fat, relation (DEUEL, HALLMAN, and MURRAY) xxii
Ketosis: (DEUEL, HALLMAN, and MURRAY) 257
Kidney: Excretion, blood serum chloride and base, exercise effect (MORSE and SCHLUTZ) lxxi
Phosphatase, physiological materials, effect (PYLE, FISHER, and CLARK) 283

L

Lactalbumin: Metabolism, cystinuria (BRAND, BLOCK, KASSELL, and CAHILL) 669
Nutritive value (KIK) lvii
Lactate: Blood, exercise effect (JOHNSON and EDWARDS) liv
Lactate—*continued:*
Urine, exercise effect (JOHNSON and EDWARDS) liv
Lactic acid: Brain, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405
Lactoflavin: Deficiency, tissue metabolism, effect (MUUS, BESSEY, and HASTINGS) lxxii
Lead: Biological materials, determination (HORWITT and COWGILL) 553
Minute amounts, animal organism, effect (HORWITT and COWGILL) li
Lipemia: Variations (MAN and GILDEA) 769
Lipids: Blood, determination (ROSE, SCHATTNER, and EXTON) lxxxiv
Liver, depancreatized dogs with insulin, pancreas feeding effect (KAPLAN and CHAIKOFF) 435
Tubercle bacillus, chemistry (REEVES and ANDERSON) 535, 543
(CASON and ANDERSON) 549
Liver: Carbohydrate storage, undernutrition effect (JOHNSTON and NEWBURGH) liv
Fat, depancreatized dogs with insulin, distribution (CHAIKOFF and KAPLAN) 423
—, ketonuria relation (DEUEL, HALLMAN, and MURRAY) xxii
Fatty, ketonuria, fasting, relation (DEUEL, HALLMAN, and MURRAY) 257

Liver—*continued:*
Fatty, overfeeding production (FLOCK, BOLLMAN, HESTER, and MANN) xxxiii
Glycogen, sexual variation, age effect (DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 617
Lipids, depancreatized dogs with insulin, pancreas feeding effect (KAPLAN and CHAIKOFF) 435
Proteins, hydrogen ion concentration, extractability, effect (LUCK and NIMMO) lxv
Lymph: Acacia determination (POWER) lxxviii
Lysine: *d*-, growth and (HAMMETT) xliv
α-N-Monomethyl-, and α-N-dimethyl-, growth, availability (GORDON) xxxvii

M

Magnesium: Blood cells and plasma, comparison (EVELETH) 289
Deficiency, biochemistry (GREENBERG and TUFTS) xl
Maltose: -Containing mixtures, glucose microdetermination (SOMOGYI) 741
Manganese: Perosis-preventing properties (GALLUP and NORRIS) xxxvi
Marinobufagin: Chemical constitution (JENSEN) lii
Melilotic acid: Plant tissue, determination (ROBERTS and LINK) 269
Mercapturic acid: *p*-Bromophenyl-, synthesis, body weight, relation (STEKOL) xciv
Metabolism: Amides, tobacco (VICKERY, PUCHER, WAKEMAN, and LEAVENWORTH) 369
Carbohydrate, brain (KERR, HAMPEL, and GHANTUS) 405
—, sexual variation (DEUEL, HALLMAN, MURRAY, and SAMUELS) 607
(DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 617
Intermediary, fatty acids, deuterium as indicator (SCHOENHEIMER) lxxxvii
Methemoglobin: Hemoglobin solutions, determination, spectrophotometric (MICHEL) lxix
Methionine: Arachin-limiting nutritive factor (BEACH and WHITE) viii
Hydroxy analogue, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 681
Proteins, determination (KASSELL) lvi
Methylcysteine: S-, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 689
Milk: Diet effect (MUELLER and COX) lxxii
Fat, precursor (MAYNARD, HODSON, ELLIS, and MCCAY) lxvi
Mold: *See also Aspergillus sydowi*
Monobromobenzene: Detoxication (HALEY and SAMUELSEN) 383

Monomethyllysine: α-N-, growth availability (GORDON) xxxvii
Muscle: Cholesterol, activity effect (BLOOR) 451
Contraction, cytochromes, oscillographic study (URBAN and PEUGNET) c
Gastric ulcer-producing substance, isolation (TASHIRO) xcviii
Phospholipid, activity effect (BLOOR) 451
Salt and water, blood and, exchange, hydronephrosis effect (EICHELBERGER) xxx
Scallop, nitrogenous extractives (MOORE and WILSON) 585
—, octopine (MOORE and WILSON) 573

N

Nembutal: Basal metabolism effect (CAVETT) xvii
Nephrectomy: Blood serum calcium, calciferol effect (TWEEDY, MCNAMARA, TEMPLETON, and PATRAS) xcix
Partial, blood plasma proteins, effect (CHANUTIN and LUDEWIG) xviii
Neurofibrils: Protein, amino acids (BLOCK) xi
Neuroproteins: Amino acids (BLOCK) xi
Chemistry (BLOCK) 765
Nitrogen: Creatinine, preformed and total, basal metabolism, boys and girls (WANG) cii
Determination, Kjeldahl modification (CAMPBELL and HANNA) 1
Nitrogenous compounds: *Aspergillus sydowi*, isolation (WOOLLEY and PETERSON) cvii
Nutrition: Deficiency disease, vitamin B complex, relation (HOGAN, RICHARDSON, and JOHNSON) p. 1
See also Undernutrition

O

Octopine: Scallop muscle (MOORE and WILSON) 573
Oil: *See also* Fish liver oil, Wheat germ oil
Organic acids: Tobacco leaf, metabolism during culture (PUCHER, WAKEMAN, and VICKERY) 523
Osmotic pressure: Blood serum evaporation rate as measure (CULBERT, MCCUNE, and WEECH) 589
Ostreasterol: Absorbability (SPERRY and BERGMANN) 171
Oxalic acid: Formation (WILEY, BERGEN, and BLOOD) cv
Oxidase: Ascorbic acid, copper relation (STOTZ, HARRER, and KING) xcv, 511
Choline (BERNHEIM and WEBSTER) xi
Oxidation: Two-step (MICHAELIS and SCHUBERT) 133
Oxygen: Fructose destruction, factors influencing (CLINTON and HUBBARD) 467
Glucose destruction, factors influencing (CLINTON and HUBBARD) 467

Oxygen—*continued:*
Respiratory pigments, equilibrium between (ADAMS) iii
Uptake, hemoglobin, dried (HISEY) xlix

P

Pancreas: Liver lipids, depancreatized dogs with insulin, feeding effect (KAPLAN and CHAIKOFF) 435
Pancreatectomy: Glucose tolerance, fructose effect (FLETCHER and WATERS) xxxiii
Liver fat, insulin effect (CHAIKOFF and KAPLAN) 423
— lipids, pancreas feeding and insulin effect (KAPLAN and CHAIKOFF) 435
Paralysis: Vitamin E-deficient rats, young from (OLCOTT) lxxiv
Parathyroid: Hypertrophy, dietary (BAUMANN and SPRINSON) vii
Pepper: Sweet, polyhydroxy acid (BAUMANN, SPRINSON, and METZGER) viii
Pepsin: Edestin, crystalline, partial hydrolysis products by (WHITE) ciii
Perosis: Manganese preventive properties (GALLUP and NORRIS) xxxvi
Phenanthrenequinonesulfonate: Oxidation, two-step (MICHAELIS and SCHUBERT) 133
Phenol(s): Determination, bromometric (EDWARDS) xxix
-Related substances, determination, bromometric (EDWARDS) xxix
Substituted, metabolic stimulation, carbon dioxide tension, effect (KRAHL and CLOWES) lx
Water contaminated with, effect (HELLER and PURSELL) xlvi
Phosphatase: Kidney, physiological materials, effect (PYLE, FISHER, and CLARK) 283
Phosphates: Bone, molecular constitution (HODGE, BALE, and LEFEVRE) xlix
Tooth, molecular constitution (HODGE, BALE, and LEFEVRE) xlix
Phospholipids: Intestinal mucosa, fat absorption (SINCLAIR) xc
Muscle, activity effect (BLOOR) 451
Phosphorus: -Deficient diet, basal metabolism (Goss and KLEIBER) xxxviii
Phthiocerol: Tubercle bacillus, bovine (CASON and ANDERSON) 549
— —, human (REEVES and ANDERSON) 535
Phthiocol: Tubercle bacillus, determination, colorimetric (REEVES and ANDERSON) 543
Pigment: Respiratory, oxygen, equilibrium between (ADAMS) iii
Pimelic acid: Diphtheria bacillus growth accessory (MUELLER) 121
Poison: Toad, chemistry (JENSEN) lii
Polygala senega: *See* Senega-root

Polysaccharides: Gastric mucosa, pig (MEYER, SMYTH, and PALMER) 73, lxix
Potassium: Blood serum, microdetermination, photometric (HOFFMAN) p. 1
Pregnancy: Gonad-stimulating hormone, blood serum, preparation and purification (CARTLAND and NELSON) 59
Urine, estrogenic diols (WINTERSTEINER and HIRSCHMANN) cvii
Pregnandiol glucuronidate: Sodium, determination, gravimetric (VENNING) 473
Pregnane-3, 17, 20-triol: Urine, adreno-genital syndrome, isolation (BUTLER and MARRIAN) 565
Progesterone: Excretion product, determination, gravimetric (VENNING) 473
Proteins: Blood plasma, nephrectomy, partial, effect (CHANUTIN and LUDEWIG) xviii
Brain, amino acids, mammalian (BLOCK) 765
Carbohydrates, determination (SHEPPARD and EVERETT) lxxxix
Complexes, chondroitinsulfuric acid (MEYER, PALMER, and SMYTH) 501
Cystine determination (KASSELL) lvi
Hemoglobin building, relation (PEARSON, ELVEHJEM, and HART) 749
Liver, hydrogen ion concentration, extractability, effect (LUCK and NIMMO) lxv
Methionine determination (KASSELL) lvi
Neuro-, amino acids (BLOCK) xi
—, chemistry (BLOCK) 765
Neurofibrils, amino acids (BLOCK) xi
Precipitants, sulfites as (CAMPBELL and HANNA) 9
Synthesis, enzymatic, intracellular (BERGMANN and FRAENKEL-CONRAT) 707
Proteolysis: Blood serum, uremia (MASON and EVERS) 735
Enzymes, intracellular, nature (BERGMANN, FRUTON, and FRAENKEL-CONRAT) 35
Prothrombin: Determination (QUICK and LEU) lxxxi
Prunus avium: *See* Cherry
Puppy: Rat and chick antidermatitis factors, deficiency effect (FOUTS, LEPKOVSKY, HELMER, and JUKES) xxxiv
Pyridine: Derivatives, nutrition value (FUNK and FUNK) xxxv
Pyroglutamic acid: *dl*-, fate (BUTTS, BLUNDEN, and DUNN) 247
(BUTTS, DUNN, and BLUNDEN) xv
Pyrrolidonecarboxylic acid: Glutamic acid-, system (WILSON and CANNAN) 309
Pyruvate: Blood, exercise effect (JOHNSON and EDWARDS) liv
Urine, exercise effect (JOHNSON and EDWARDS) liv

R

Respiratory pigments: Oxygen, equilibrium between (ADAMS) iii

Respiratory quotient: Vitamin B_1, effect (WHIPPLE and CHURCH) ciii

Rickets: Antirachitic property, casein (HARRIS and BUNKER) xlv

Bone growth (RUSSELL, TAYLOR, and DUNCAN) lxxxv

S

Salt: Blood and muscle, exchange, hydronephrosis effect (EICHELBERGER) xxx

Sapogenins: *Polygala senega* (JACOBS and ISLER) 155

Scallop: Muscle, nitrogenous extractives (MOORE and WILSON) 585

—, octopine (MOORE and WILSON) 573

Senega-root: Sapogenins (JACOBS and ISLER) 155

Sex: Hormones, chick comb response (DORFMAN and GREULICH) xxv

—, male, urine, bulls and rams (BUTZ and HALL) xvi

Skeleton: Maturity and calcium storage, children, relation (HUNSCHER, HUMMEL, MACY, TODD, and FRANCIS) lii

Sodium cholate: Bile, thyroxine effect (SCHMIDT) lxxxvii

Sodium pregnandiol glucuronidate: Determination, gravimetric (VENNING) 473

Sodium taurocholate: Synthesis (CORTESE and BASHOUR) 177

Sodium taurodesoxycholate: Synthesis (CORTESE and BASHOUR) 177

Spirographis: Hemin, oxidation-reduction potentials (BARRON) vi

Hemochromogens, oxidation-reduction potentials (BARRON) vi

Sterols: Absorbability (SPERRY and BERGMANN) 171

Chemical activation (ECK and THOMAS) 621, 631

Hemolytic and antihemolytic properties (BERLINER) xi

Stomach: Emptying rate, glucose administration effect (PIERCE, HAEGE, and FROESCHLE) lxxviii

Glucose, response (KARR, AUSTIN, ABBOTT, and HOFFMAN) lv

Mucosa, polysaccharides, pig (MEYER, SMYTH, and PALMER) 73, lxix

Ulcer-producing substance, isolation from muscle (TASHIRO) xcviii

Sugar: Free, brain, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 405

Sulfites: Protein precipitants (CAMPBELL and HANNA) 9

Sulfur: Total, biological fluids, determination, Benedict-Denis (RUTENBER and ANDREWS) lxxxvi

Suprarenal: *See* Adrenal

T

Taurocholate: Sodium, synthesis (CORTESE and BASHOUR) 177

Taurocholic acid: Precursors (VIRTUE and DOSTER-VIRTUE) ci

Production, dog (VIRTUE and DOSTER-VIRTUE) 697

Taurodesoxycholate: Sodium, synthesis (CORTESE and BASHOUR) 177

Testis: Concentrates, estrus-inhibiting substances (DUNCAN, GALLAGHER, and KOCH) xxvii

Theelin: Excretion, sexually immature rat (DORFMAN) xxv

Metabolism, sexually immature rat (DORFMAN) xxv

Theelol: Castrate female rats, sensitivity (CURTIS, MILLER, and WITT) xxi

Thiobutyric acid: γ-, metabolism, cystinuria (BRAND, BLOCK, and CAHILL) 689

Threonine: *d*(−)- and *l*(+)-, preparation (WEST and CARTER) 109

Thyroparathyroidectomy: Blood serum calcium, calciferol effect (TWEEDY, MCNAMARA, TEMPLETON, and PATRAS) xcix

Thyroxine: Sodium cholate, bile, effect (SCHMIDT) lxxxvii

Tissue: Metabolism, lactoflavin and vitamin B_6 deficiency, effect (MUUS, BESSEY, and HASTINGS) lxxii

Toad: Poisons, chemistry (JENSEN) lii

Tobacco: Leaf, amides, metabolism (VICKERY, PUCHER, WAKEMAN, and LEAVENWORTH) 369

—, organic acids, metabolism during culture (PUCHER, WAKEMAN, and VICKERY) 523

Tooth: Phosphates, molecular constitution (HODGE, BALE, and LEFEVRE) xlix

Tryptophane: Determination (BATES) vii

Tubercle bacillus: Bovine, wax phthiocerol (CASON and ANDERSON) 549

Human, phthiocerol (REEVES and ANDERSON) 535

Lipids, chemistry (REEVES and ANDERSON) 535, 543 (CASON and ANDERSON) 549

Phthiocol, determination, colorimetric (REEVES and ANDERSON) 543

Tumor: Adrenal, urine compound, new (MARRIAN and BUTLER) lxvi

U

Ulcer: -Producing substance, gastric, isolation from muscle (TASHIRO) xcviii

Undernutrition: Carbohydrate storage, liver, effect (JOHNSTON and NEWBURGH) liv

Urease: Crystalline, arginase, non-identity (SUMNER and DOUNCE) xcvii

Uremia: Blood serum proteolysis (MASON and EVERS) 735

Urine: Androgenic activity, acid hydrolysis effect (PETERSON, GALLAGHER, and KOCH) 185, lxxvii
Compound, new, women with adrenal tumors (MARRIAN and BUTLER) lxvi
Estrogenic activity, acid hydrolysis effect (PETERSON, GALLAGHER, and KOCH) 185
— diols, pregnant mares (WINTERSTEINER and HIRSCHMANN) cvii
— substances, menstrual cycle, determination (GUSTAVSON, HAYS, and WOOD) xlii
Hyperglycemic factor (HARROW, MAZUR, CHAMELIN, and LESUK) xlvi
Male hormone, bulls and rams (BUTZ and HALL) xvi
Pregnane-3, 17, 20-triol, women with adreno-genital syndrome (BUTLER and MARRIAN) 565

V

Vapor pressure: Blood serum evaporation rate as measure (CULBERT, MCCUNE, and WEECH) 589
Veratrine: Alkaloids (JACOBS and CRAIG) 141
Vinyl ether: Tissues, human, isolation (DOMANSKI) 69
Vitamin(s): A, alcohol and ester, comparative value (EMMETT and BIRD) xxxi
— potency, carotene determinations, accuracy (SHINN, KANE, WISEMAN, and CARY) lxxxix
Vitamin(s)—*continued:*
B assay, rat growth technique (KNOTT and SCHULTZ) lviii
— complex, deficiency disease, relation (HOGAN, RICHARDSON, and JOHNSON) p. 1
— —, yeast, thermostability (SCHULTZ) lxxxviii
B_1, cardiovascular diseases, relation (SURE and JONES) xcvii
— determination, reagent (PREBLUDA and MCCOLLUM) lxxix
—, respiratory quotient, effect (WHIPPLE and CHURCH) ciii
B_6 deficiency, tissue metabolism, effect (MUUS, BESSEY, and HASTINGS) lxxii
D, action (HEYMANN) xlviii
— potency, irradiated milk, energy input relation (O'BRIEN, MCEWEN, and MORGAREIDGE) lxxiii
E, wheat germ and wheat germ oil, biological assay (PALMER) lxxv
E-deficient rats, paralysis in young from (OLCOTT) lxxiv
G complex, fractionation (LEPKOVSKY and JUKES) lx
H, concentration and properties (BOOHER) 223
—, isolation (GYÖRGY) xliii
See also Hypervitaminosis

W

Water: Blood and muscle, exchange, hydronephrosis effect (EICHELBERGER) xxx

Water—*continued:*
Heavy, alcohol formation in yeast grown in (EVANS and RITTENBERG) xxxi
Phenol-contaminated, effect (HELLER and PURSELL) xlvi
Wax: -Like constituents, cherry cuticle (MARKLEY and SANDO) 641
Tubercle bacillus, bovine, phthiocerol (CASON and ANDERSON) 549
— —, human, phthiocerol (REEVES and ANDERSON) 535
Wheat: Germ, vitamin E assay (PALMER) lxxv
Wheat germ oil: Vitamin E assay (PALMER) lxxv

Y

Yeast: Blood sugar, fermentable, determination, gasometric (HOLDEN) 347
Growth, heavy water, alcohol formation (EVANS and RITTENBERG) xxxi
Vitamin B complex, thermostability (SCHULTZ) lxxxviii